

SWEP contract catalogue & links

Wheeled Walker



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/rollator-pacer-plus/>

Nova Mini Pacer Plus is an excellent lightweight aluminium 4 wheel walker for someone with limited mobility and requires a frame for support whilst walking. Versatile and manoeuvrable in and around the home. Complete with ball style locking brakes, arthritic hand grips, and solid 7.6"/19cm castors. A seat height of 50cm, and width between handles 44cm. Adjustable handle height range of 75cm-86cm. Complete with a fabric carry bag under the seat. SWL 130kgs, User Height 146-161cm.

| SWEP Picklist Code | Supplier Code | Description | Colour | Seat Width | Seat Height | Handle Height | Max. User Weight |
|---------------------------|----------------------|---|---------------|-------------------|--------------------|----------------------|-------------------------|
| | N.4206AG-RD | Nova Mini Pacer Plus 4 Wheel Rollator - Red Overall width 610mm | Red | 34.5cm | 50cm | 75-86cm | 130kg |



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/rollator-pacer-plus/>

Nova Standard Pacer Plus is an excellent lightweight aluminium 4 wheel walker for someone with limited mobility and requires a frame for support whilst walking. Versatile and manoeuvrable in and around the home. Complete with ball style locking brakes, arthritic hand grips, and solid 7.6"/19cm castors. A seat height of 55cm, and width between handles 46cm. Adjustable handle height range of 80cm-91cm. Complete with a fabric carry bag under the seat. SWL 130kgs, User Height 151-170cm

| SWEP Picklist Code | Supplier Code | Description | Colour | Seat Width | Seat Height | Handle Height | Max. User Weight |
|--------------------|---------------|---|-----------|------------|-------------|---------------|------------------|
| | N.4206AE-DB | Nova Standard Pacer Plus 4 Wheel Rollator - Dark Blue Overall width 610mm | Dark Blue | 34.5cm | 55cm | 80-91cm | 130kg |



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/rollator-pacer-plus/>

Nova Standard Pacer Plus is an excellent lightweight aluminium 4 wheel walker for someone with limited mobility and requires a frame for support whilst walking. Versatile and manoeuvrable in and around the home. Complete with ball style locking brakes, arthritic hand grips, and solid 7.6"/19cm castors. A seat height of 55cm, and width between handles 46cm. Adjustable handle height range of 80cm-91cm. Complete with a fabric carry bag under the seat. SWL 130kgs, User Height 151-170cm

| SWEP Picklist Code | Supplier Code | Description | Colour | Seat Width | Seat Height | Handle Height | Max. User Weight |
|--------------------|---------------|--|--------|------------|-------------|---------------|------------------|
| | N.4206AE-RD | Nova Standard Pacer Plus 4 Wheel Rollator - Burgundy Overall width 610mm | Red | 34.5cm | 55cm | 80-91cm | 130kg |



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product-category/walking-aids/rollator-walkers/>

Nova Tall Pacer Plus is an excellent lightweight aluminium 4 wheel walker for someone with limited mobility and requires a frame for support whilst walking. Versatile and manoeuvrable in and around the home. Complete with ball style locking brakes, arthritic hand grips, and solid 7.6"/19cm castors. A seat height of 60cm, and width between handles 46cm. Adjustable handle height range of 85cm-96cm. Complete with a fabric carry bag under the seat. SWL 130kgs, User Height 155-175cm

| SWEP Picklist Code | Supplier Code | Description | Colour | Seat Width | Seat Height | Handle Height | Max. User Weight |
|--------------------|---------------|--|--------|------------|-------------|---------------|------------------|
| | N.4206AH-RD | Nova Tall Pacer Plus 4 Wheel Rollator - Burgundy Overall width 610mm | Red | 34.5cm | 60cm | 85-96cm | 130kg |



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/rollator-mack/>

Nova Mini Mack is a perfect aluminium 4 wheel walker for the larger shorter client. Complete with ball style locking brakes, solid Padded Seat, arthritic hand grips, solid 7.6"/19cm castors. A seat height of 490mm, and width between handles 510mm. Adjustable handle height range of 750mm-850mm. Complete with a front mounted removable basket and removable backrest for ease of storage. SWL 150kgs, User Height 147-163cm. Folds easily for transportation. Overall weight 9.4kg.

| SWEP Picklist Code | Supplier Code | Description | Colour | Seat Width | Seat Height | Handle Height | Max. User Weight |
|---------------------------|----------------------|--|---------------|-------------------|--------------------|----------------------|-------------------------|
| | N.4205AD-DB | Nova Mini Mack 4 Wheel Rollator - Dark Blue Overall width 610mm | Dark Blue | 43cm | 49cm | 147-163cm | 150kg |



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/rollator-mack/>

Nova Mini Mack is a perfect aluminium 4 wheel walker for the larger shorter client. Complete with ball style locking brakes, solid Padded Seat, arthritic hand grips, solid 7.6"/19cm castors. A seat height of 580mm, and width between handles 510mm. Adjustable handle height range of 850mm-960mm. Complete with a front mounted removable basket and removable backrest for ease of storage. SWL 150kgs, User Height 165-190cm. Folds easily for transportation. Overall weight 9.4kg.

| SWEP Picklist Code | Supplier Code | Description | Colour | Seat Width | Seat Height | Handle Height | Max. User Weight |
|---------------------------|----------------------|--|---------------|-------------------|--------------------|----------------------|-------------------------|
| | N.4205V-DB | Nova Standard Mack 4 Wheel Rollator - Dark Blue Overall width 610mm | Dark Blue | 51cm | 58cm | 85-96cm | 150kg |



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/rollator-mighty-mack/>

Nova Mighty Mack aluminium 4 wheel walker is a specially designed bariatric Rollator that provides stability for the user. Fitted with a solid padded seat and larger sitting area when it's time to rest. Complete with ball style locking brakes, arthritic hand grips, solid 8.0"/20.3cm castors, front mounted removable basket and removable backrest for ease of storage. A seat height of 58cm, and width between handles 58cm. Adjustable handle height range of 77cm-92cm. Folds easily for transportation. Overall Weight 9.4kg

| SWEP Picklist Code | Supplier Code | Description | Colour | Seat Width | Seat Height | Handle Height | Max. User Weight |
|--------------------|---------------|---|--------|------------|-------------|---------------|------------------|
| | N.4216-RD | Nova Mighty Mack 4 Wheel Rollator - Dark Blue Overall width 680mm | Red | 51cm | 55cm | 147-175cm | 200kg |

Wheeled Walker Accessories



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product-category/walking-aids/walking-frames/>

Walking Stick Holder that easily clamps to the Wheeled Walker/Rollator frame to securely hold walking stick in place whilst walking.

| SWEP Picklist Code | Supplier Code | Description |
|--------------------|---------------|---|
| | N.M81 | Nova Wheeled Walker/Rollator Clamp on Walking Stick Holder Accessory Option |

Accessory Options: Quotable

SWEP Client Co-Contribution Required: Yes



Picture of Product

Supplier: GMS Rehabilitation


Product Brochure Link: <https://www.gmsrehab.com.au/product-category/walking-aids/walking-frames/>

Wheeled Walker/Rollator Vinyl Canvas Waterproof Bag with press studs to provide that added security of personal items whilst walking.

| SWEP Picklist Code | Supplier Code | Description |
|--------------------|---------------|---|
| | N.4206BAG | Nova Wheeled Walker/Rollator Bag to Suit Pacer Plus Range |

Accessory Options: Quotable

SWEP Client Co-Contribution Required: Yes



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product-category/walking-aids/walking-frames/>

Wheeled Walker/Rollator Removable metal "C" size oxygen Bottle Carrier that easily fits below the existing Basket/Vinyl Bag for easy access. Suits all Pacer and Mack Model Variants.

| SWEP Picklist Code | Supplier Code | Description |
|--------------------|---------------|---|
| | N.ROXY2 | Nova Wheeled Walker/Rollator "C" Size Oxygen Bottle Carrier to suit all Pacer and Mack Models |

Accessory Options: Quotable

SWEP Client Co-Contribution Required: Yes



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/tray-table-for-rollator/>

A tray that fits to most walkers with an adjustable hinge system that requires no drilling and is easy to assemble. Strong light weight construction of a Polypropylene Reinforced Tray with Stainless Steel Fitting. Provides a stable flat surface to hold meals, drinks, magazines, tools etc. The seat walker will still fold with tray table fitted, with the tray being easily removable if the user no longer requires it.

Key Features

- Polypropylene Reinforced Tray with Stainless Steel Fitting
- One Piece Bracket for Easy Fitment
- Strong Lightweight Construction
- Can be easily adjusted to suit most seat walkers
- Easy Assembly (Phillips screwdriver only)
- Seat Walker Folds with Tray Table Fitted
- Easy Remove Function if Required
- Easy Clean Design Product Dimensions

Specifications

- Tray Width 425mm
- Tray Depth 325mm
- Maximum Distributed Weight 3.0kg

| SWEP Picklist Code | Supplier Code | Description |
|---------------------------|----------------------|--|
| | SH.RG42T | Nova Wheeled Walker/Rollator Tray Table Accessory Option |

Accessory Options: Quotable

SWEP Client Co-Contribution Required: Yes

Wheelchairs



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/tilite-tra/>

Manual Adult Titanium Rigid Dual Tube Frame Wheelchair -SD.TILITETRA. 17 Frame Colour options are standard, Anodized Black frame is also standard. Rear seat width from 12"- 19" standard, Front Seat No Taper is Standard, taper range 1", 2" or 3" is an option. Seat Depth 12"-19" Standard, custom frame depth being longer or shorter available no charge. Front seat height range 15"-21", rear seat height range 12.5"-21". Front angle 70-85 degrees. Angle adjustable footrest standard. Folding Aluminium Adjustable Height with Precision Lock Backrest. Aluminium Back release bars Std. Integrated Push Handles Std. Back Rest that locks when folded Std. 4" Deep Backrest rigidizer bar Std. Folding or Non Folding Back Angle range 80-101 degrees. Centre of gravity range is 1"-6" in 1/4" increments. Rear Wheel Spacing 0.75"-2" in 1/4" increments Std. Camber Tube angle range is 0-12 degrees in 2 degree increments. Standard Front Wheel options are 4"x.75" Plastic Wheel with Poly Tyre, 5"x1" Lite Speed Billet Aluminium Wheel with soft roll tyre or 6"x1" Plastic Wheel with Poly Tyre. Standard Rear Wheel Size options are 20", 22" 24", 25" or 26". Stainless Steel Quick Release Axle, Std. Pneumatic Rear Tyre options are Treaded, Primo Treaded or Primo Slick. Silver Anodized Handrims with Long Tabs is standard. Compact Composite Push to lock or Pull to lock Wheel Locks are standard. Velcro adjustable Back rest Upholstery, Std. Tension Adjustable Bolt On Seat Upholstery, Std. Swing Away Tubular Armrests of 6.5" to 9.5" or .5" to 12" are standard.

There are further varying options of the TILITETRA to suit the clients purpose of use at an additional cost as set out in the script order form as provided on request. Please note some special sizing combinations may not be achievable, as this will be advised at time of assessment.

| SWEP Picklist Code | Supplier Code | Description | Colour | Seat Width | Seat Depth | Back Height | Warranty | Max. User Weight |
|--------------------|---------------|---|----------------------------------|-------------------------------------|--------------------------------|-------------------------------|--|------------------|
| | SD.TILITETRA | TiLite SD.TILITETRA Rigid Frame Manual Wheelchairs with the power and style of its titanium dual-tube frame, TiFit precision, and full adjustability. | 17 Varying colour option offered | 8"- 15" that grows in 2" increments | 8" – 16" in 3" inch increments | 12"-19.5", in 1/2" increments | 5 Years on Frame, 12 Months on TiLite components | SWL 120.2kg |

Modifications and Accessory Options: Quotable

SWEP Client Co-Contribution Required: Yes



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/tilite-twist/>

Manual Paediatric Aluminium Frame Wheelchair SD.TILITETRA, has 17 Frame Colour options as standard, Anodized Black frame is also standard. Seat width ranges from 8" - 15" that grows in 2" increments as standard. Seat Depth 8"-16" that grows in 3" increments as Standard, All Upholstery (except cushion) and components (except TiShaft Back Release Bar, but available upon request at no charge) needed to grow the Width and Depth are included. Front seat height range 13"-20" in 1/2" increments. Rear seat height range 12"-19.5", in 1/2" increments. Front angle 70-90 degrees in 10 degree increments. Angle adjustable footrest, standard. Folding Aluminium Adjustable Height Backrest with TiShaft Aluminium Back Release Bar Back, Standard. Integrated Push Handles Standard. Back Angle range 80-101 degrees in 3 degree increments. Rear Wheel Spacing 0.75"-2" in 1/4" increments Std. Camber Tube angle range is 0-12 degrees in 2 degree increments. Aluminium Camber Tube, Standard. Standard Front Wheel options are 4"x.75" Plastic Wheel with Poly Tyre or 5"x1" Plastic Wheel with Poly tyre. TiLite Standard Precision Lock Front Forks included. Standard Rear Wheel Size options are 18", 20" 22" or 24". Stainless Steel Quick Release Axle, Standard. Pneumatic Rear Tyre options are Treaded or 24" Primo Sentinel. Silver Anodized Handrims with Long Tabs is standard. Compact Composite Push to lock or Pull to lock Wheel Locks are standard. Velcro adjustable Backrest Upholstery, Standard. Tension Adjustable Bolt on Seat Upholstery, Std. Swing Away Tubular Armrests are standard.

There are further varying options of the TILITETWIST to suit the clients purpose of use at an additional cost as set out in the script order form as provided on request. Please note some special sizing combinations may not be achievable, as this will be advised at time of assessment.

| SWEP Picklist Code | Supplier Code | Description | Colour | Seat Width | Seat Depth | Back Height | Warranty | Max. User Weight |
|--------------------|----------------|---|-----------------------------------|--------------------------------------|--------------------------------|-------------------------------|--|------------------|
| | SD.TILITETWIST | Manual Paediatric Aluminium Frame Wheelchair encouraging exploration, independence and, yes, playfulness. | 17 Varying colour options offered | 8" - 15" that grows in 2" increments | 8" – 16" in 3" inch increments | 12"-19.5", in 1/2" increments | 5 Years on Frame, 12 Months on TiLite components | SWL 74.84kg |

Modifications and Accessory Options: Quotable

SWEP Client Co-Contribution Required: Yes

| SWEP Picklist Code | Supplier Code | Description | Colour | Seat Width | Seat Depth | Back Height | Warranty | Max. User Weight |
|---------------------------|----------------------|---|-----------------------------------|-------------------------------------|--------------------------------|-------------------------------|--|-------------------------|
| | SD.TILITETWIST | Manual Paediatric Aluminium Frame Wheelchair encouraging exploration, independence and, yes, playfulness. | 17 Varying colour options offered | 8"- 15" that grows in 2" increments | 8" – 16" in 3" inch increments | 12"-19.5", in 1/2" increments | 5 Years on Frame, 12 Months on TiLite components | SWL 74.84kg |

Modifications and Accessory Options: Quotable

SWEP Client Co-Contribution Required: Yes



Scooters

Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/shoprider-888se-scooter/>

Medium compact size scooter provides ample features that you would only find in one of the larger model scooters. Equipped with large batteries and has features like 260mm tyres for safety and for the smooth ride, fully rotating lockable seat for the ease of transferring on and off the scooter, adjustable steering tiler and fold up armrests. Other reliable features include its rear wheel drive and electromagnetic brake which enhances its impressive safety and style all at the same time.

Features

- Front and rear suspension
- High back Seat
- Adjustable Steering Tiler
- Adjustable Width armrests
- Fold up and down armrests
- Sliding rotating seats
- Front shopping basket
- Variable seat height
- Horn
- Battery level warning light
- Front and rear bumper pads
- Anti tips wheels
- Front lights
- Batteries 2 x 50 AMP
- Comprehensive warranty
- Dimensions: 128cm (L) x 60cm (W) x 107cm (H)
- Range: Up to 40km
- Turning radius: 150cm
- Safe working load: 136kg

| SWEP Picklist Code | Supplier Code | Description | Colour | Seat Width | Seat Depth | Back Height | Warranty | Max. User Weight |
|--------------------|---------------|------------------------|------------------------|------------|------------|-------------|--|------------------|
| | SH.888SE | Shoprider Explorer 4 | Red or Blue | 420mm | 420mm | 460mm | Frame – 3 Years, Drive | 136kg |
| | | Wheel Electric Scooter | (whatever is in stock) | | | | Train – 18 months, Other Components 12 months | |

Modifications: Quotable

SWEP Client Co-Contribution Required: Yes

Scooter Accessories



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/shoprider-888se-scooter/>

Waterproof Black Vinyl Rear Mounted Bag with clip down flap and hard base for added strength. Frame powder coated black. Rear mounting tube can be cut to suit most Scooter Models. Carrying Capacity 12kg and has an integrated Walking Stick/Crutch Carrier. Sun Canopy can be added as a further option.

| SWEP Picklist Code | Supplier Code | Description |
|--------------------|---------------|--|
| | SH.SE-BC | Shoprider Bag Carrier to suit Shoprider Scooters |

Accessory Options: Quotable

SWEP Client Co-Contribution Required: Yes



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/shoprider-888se-scooter/>

Deluxe Sun Canopy provides shade from the sun whilst travelling. Red, Black or Blue Poly Cotton Canopy dimensions are 950mm length x 650mm width while the frame is Powder Coated Black. Features are easy 200mm Height Adjustability with side folding flaps for added protection from the sun.

| SWEP Picklist Code | Supplier Code | Description |
|--------------------|---------------|---|
| | SH.SE-SD | Shoprider Deluxe Sun Canopy providing shade from the sun to suit Shoprider Scooters |

Accessory Options: Quotable

SWEP Client Co-Contribution Required: Yes



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/shoprider-888se-scooter/>

Sun Canopy provides shade from the sun whilst travelling. Black Poly Cotton Canopy dimensions are 770mm length x 560mm width while the frame is Powder Coated Black. Features are Sleek New Design, Height Adjustable 120mm and Folding Side Flaps for extra shade.

| SWEP Picklist Code | Supplier Code | Description |
|--------------------|---------------|--|
| | SH.SE-S | Shoprider Sun Canopy providing shade from the sun to suit Shoprider Scooters |

Accessory Options: Quotable

SWEP Client Co-Contribution Required: Yes



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/shoprider-888se-scooter/>

Folding Rollator Carrier Powder Coated Black that is rear mounted and the tube can be cut to suit most scooter models. Suits most models of folding Rollators and the carrier has an integrated Walking Stick/Crutch Carrier

| SWEP Picklist Code | Supplier Code | Description |
|--------------------|---------------|---|
| | SH.SE-WWB | Shoprider Rollator Carrier to suit Shoprider Scooters |

Accessory Options: Quotable

SWEP Client Co-Contribution Required: Yes



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/shoprider-888se-scooter/>

Walking Frame Carrier Powder Coated Black that is rear mounted and suits most scooter models. Most Walking Frames are suitable to fit this carrier, ready to assemble.

| SWEP Picklist Code | Supplier Code | Description |
|--------------------|---------------|--|
| | SH.SE-WFC | Shoprider Walking Frame Carrier to suit Shoprider Scooters |

Accessory Options: Quotable

SWEP Client Co-Contribution Required: Yes



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/shoprider-888se-scooter/>

Walking Stick Holder Powder Coated Black that is rear mounted and suits most scooter models. Can be mounted on side of the seat on Shoprider models to securely hold a Walking Stick.

| SWEP Picklist Code | Supplier Code | Description |
|--------------------|---------------|---|
| | SH.SE-WSH | Shoprider Walking Stick Holder to suit Shoprider Scooters |

Accessory Options: Quotable

SWEP Client Co-Contribution Required: Yes



Picture of Product

Supplier: GMS Rehabilitation


Product Brochure Link: <https://www.gmsrehab.com.au/product/shoprider-888se-scooter/>

Shoprider "C" Size Oxygen Bottle Carrier powder coated black that is rear mounted and will suit most Scooter Models. Can be mounted on side of the seat on Shoprider models and has an integrated Walking Stick/Crutch Carrier.

| SWEP Picklist Code | Supplier Code | Description |
|--------------------|---------------|---|
| | SH.TE-O | Shoprider "C" size Oxygen Bottle Carrier to suit Shoprider Scooters |

Accessory Options: Quotable

SWEP Client Co-Contribution Required: Yes



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/shoprider-888se-scooter/>

Shoprider Flag Holder powder coated black that is rear mounted and will suit most Scooter Models. Can be mounted on side of the seat on Shoprider models.

| SWEP Picklist Code | Supplier Code | Description |
|--------------------|---------------|--|
| | SH.SE-FH | Shoprider Flag Holder to suit Shoprider Scooters |

Accessory Options: Quotable

SWEP Client Co-Contribution Required: Yes

Slings



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/sling-general-purpose/>

This general purpose sling is to be used in conjunction with an appropriate patient lifting device to support clients with mobility disabilities and transferring difficulties. This sling provides easy fitting and good support for patients with some upper body control. The general purpose sling has been designed to be simple and safe to use for patients lifting whether it be at home or in an aged care/nursing facilities. This sling is manufactured from polyester fabric or mesh (suitable for bathing) with internal padding in pressure areas and utilises webbing attachment loop straps or keyhole buckles. The straps are colour coded for sizing to allow easy sling selection and identification and individual client management. Available in 4 sizes – Small, Medium, Large and X-large with Safe Working Loads of 205-300kg.

| SWEP Picklist Code | Supplier Code | Description | Max User Weight |
|---------------------------|----------------------|--|------------------------|
| | I.17105 | General Purpose Polyester Fabric Sling - Small | 205kg |



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/sling-general-purpose/>

This general purpose sling is to be used in conjunction with an appropriate patient lifting device to support clients with mobility disabilities and transferring difficulties. This sling provides easy fitting and good support for patients with some upper body control. The general purpose sling has been designed to be simple and safe to use for patients lifting whether it be at home or in an aged care/nursing facilities. This sling is manufactured from polyester fabric and utilises webbing attachment loop straps or keyhole buckles. The straps are colour coded for sizing to allow easy sling selection and identification and individual client management. Available in 4 sizes – Small, Medium, Large and X-large with Safe Working Loads of 205-300kg.

| SWEP Picklist Code | Supplier Code | Description | Max User Weight |
|---------------------------|----------------------|---|------------------------|
| | I.17041 | General Purpose Polyester Fabric Sling - Medium | 205kg |



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/sling-general-purpose/>

This general purpose sling is to be used in conjunction with an appropriate patient lifting device to support clients with mobility disabilities and transferring difficulties. This sling provides easy fitting and good support for patients with some upper body control. The general purpose sling has been designed to be simple and safe to use for patients lifting whether it be at home or in an aged care/nursing facilities. This sling is manufactured from polyester fabric and utilises webbing attachment loop straps or keyhole buckles. The straps are colour coded for sizing to allow easy sling selection and identification and individual client management. Available in 4 sizes – Small, Medium, Large and X-large with Safe Working Loads of 205-300kg.

| SWEP Picklist Code | Supplier Code | Description | Max User Weight |
|--------------------|---------------|--|-----------------|
| | I.17043 | General Purpose Polyester Fabric Sling - Large | 205kg |



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/sling-general-purpose/>

This general purpose sling is to be used in conjunction with an appropriate patient lifting device to support clients with mobility disabilities and transferring difficulties. This sling provides easy fitting and good support for patients with some upper body control. The general purpose sling has been designed to be simple and safe to use for patients lifting whether it be at home or in an aged care/nursing facilities. This sling is manufactured from mesh (suitable for bathing) with internal padding in pressure areas and utilises webbing attachment loop straps or keyhole buckles. The straps are colour coded for sizing to allow easy sling selection and identification and individual client management. Available in 4 sizes – Small, Medium, Large and X-large with Safe Working Loads of 205-300kg.

| SWEP Picklist Code | Supplier Code | Description | Max User Weight |
|--------------------|---------------|---|-----------------|
| | I.17123 | General Purpose Mesh Fabric Sling - Small | 205kg |



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/sling-general-purpose/>

This general purpose sling is to be used in conjunction with an appropriate patient lifting device to support clients with mobility disabilities and transferring difficulties. This sling provides easy fitting and good support for patients with some upper body control. The general purpose sling has been designed to be simple and safe to use for patients lifting whether it be at home or in an aged care/nursing facilities. This sling is manufactured from mesh (suitable for bathing) with internal padding in pressure areas and utilises webbing attachment loop straps or keyhole buckles. The straps are colour coded for sizing to allow easy sling selection and identification and individual client management. Available in 4 sizes – Small, Medium, Large and X-large with Safe Working Loads of 205-300kg.

| SWEP Picklist Code | Supplier Code | Description | Max User Weight |
|---------------------------|----------------------|--|------------------------|
| | I.17124 | General Purpose Mesh Fabric Sling - Medium | 205kg |



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/sling-general-purpose/>

This general purpose sling is to be used in conjunction with an appropriate patient lifting device to support clients with mobility disabilities and transferring difficulties. This sling provides easy fitting and good support for patients with some upper body control. The general purpose sling has been designed to be simple and safe to use for patients lifting whether it be at home or in an aged care/nursing facilities. This sling is manufactured from mesh (suitable for bathing) with internal padding in pressure areas and utilises webbing attachment loop straps or keyhole buckles. The straps are colour coded for sizing to allow easy sling selection and identification and individual client management. Available in 4 sizes – Small, Medium, Large and X-large with Safe Working Loads of 205-300kg.

| SWEP Picklist Code | Supplier Code | Description | Max User Weight |
|---------------------------|----------------------|---|------------------------|
| | I.17125 | General Purpose Mesh Fabric Sling - Large | 205kg |



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/sling-general-purpose-head-support/>

This general purpose sling with head support is to be used in conjunction with an appropriate Invacare patient lifting device to support clients with mobility disabilities and transferring difficulties. The sling is easy to fit to a patient in bed or in a chair, providing excellent upper body and head support. Recommended for general daily lifting and suitable for floor lifts. The general purpose sling has been designed to be simple and safe to use for patient lifting whether it be at home or in an aged care/nursing facilities. This sling is manufactured from polyester fabric and utilises webbing attachment loop straps or keyhole buckles. The straps are colour coded for sizing to allow easy sling selection and identification and individual client management. Available in 6 sizes – X-Small, Small, Medium, Large, X-Large and XX-Large with Safe working loads of 205-300kg.

| SWEP Picklist Code | Supplier Code | Description | Max User Weight |
|--------------------|---------------|--|-----------------|
| | I.17247 | General Purpose with Head Support Polyester Fabric Sling - Small | 205kg |



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/sling-general-purpose-head-support/>

This general purpose sling with head support is to be used in conjunction with an appropriate Invacare patient lifting device to support clients with mobility disabilities and transferring difficulties. The sling is easy to fit to a patient in bed or in a chair, providing excellent upper body and head support. Recommended for general daily lifting and suitable for floor lifts. The general purpose sling has been designed to be simple and safe to use for patient lifting whether it be at home or in an aged care/nursing facilities. This sling is manufactured from polyester fabric and utilises webbing attachment loop straps or keyhole buckles. The straps are colour coded for sizing to allow easy sling selection and identification and individual client management. Available in 6 sizes – X-Small, Small, Medium, Large, X-Large and XX-Large with Safe working loads of 205-300kg.

| SWEP Picklist Code | Supplier Code | Description | Max User Weight |
|--------------------|---------------|---|-----------------|
| | I.17067 | General Purpose with Head Support Polyester Fabric Sling - Medium | 205kg |



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/sling-general-purpose-head-support/>

This general purpose sling with head support is to be used in conjunction with an appropriate Invacare patient lifting device to support clients with mobility disabilities and transferring difficulties. The sling is easy to fit to a patient in bed or in a chair, providing excellent upper body and head support. Recommended for general daily lifting and suitable for floor lifts. The general purpose sling has been designed to be simple and safe to use for patient lifting whether it be at home or in an aged care/nursing facilities. This sling is manufactured from polyester fabric and utilises webbing attachment loop straps or keyhole buckles. The straps are colour coded for sizing to allow easy sling selection and identification and individual client management. Available in 6 sizes – X-Small, Small, Medium, Large, X-Large and XX-Large with Safe working loads of 205-300kg.

| SWEP Picklist Code | Supplier Code | Description | Max User Weight |
|--------------------|---------------|--|-----------------|
| | I.17069 | General Purpose with Head Support Polyester Fabric Sling - Large | 205kg |



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/sling-general-purpose-head-support/>

This general purpose sling with head support is to be used in conjunction with an appropriate Invacare patient lifting device to support clients with mobility disabilities and transferring difficulties. The sling is easy to fit to a patient in bed or in a chair, providing excellent upper body and head support. Recommended for general daily lifting and suitable for floor lifts. The general purpose sling has been designed to be simple and safe to use for patient lifting whether it be at home or in an aged care/nursing facilities. This sling is manufactured from mesh (suitable for bathing) with internal padding in pressure areas and utilises webbing attachment loop straps or keyhole buckles. The straps are colour coded for sizing to allow easy sling selection and identification and individual client management. Available in 6 sizes – X-Small, Small, Medium, Large, X-Large and XX-Large with Safe working loads of 205-300kg.

| SWEP Picklist Code | Supplier Code | Description | Max User Weight |
|--------------------|---------------|---|-----------------|
| | I.17126 | General Purpose with Head Support Mesh Fabric Sling - Small | 205kg |



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/sling-general-purpose-head-support/>

This general purpose sling with head support is to be used in conjunction with an appropriate Invacare patient lifting device to support clients with mobility disabilities and transferring difficulties. The sling is easy to fit to a patient in bed or in a chair, providing excellent upper body and head support. Recommended for general daily lifting and suitable for floor lifts. The general purpose sling has been designed to be simple and safe to use for patient lifting whether it be at home or in an aged care/nursing facilities. This sling is manufactured from mesh (suitable for bathing) with internal padding in pressure areas and utilises webbing attachment loop straps or keyhole buckles. The straps are colour coded for sizing to allow easy sling selection and identification and individual client management. Available in 6 sizes – X-Small, Small, Medium, Large, X-Large and XX-Large with Safe working loads of 205-300kg.

| SWEP Picklist Code | Supplier Code | Description | Max User Weight |
|--------------------|---------------|--|-----------------|
| | I.17127 | General Purpose with Head Support Mesh Fabric Sling - Medium | 205kg |



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/sling-general-purpose-head-support/>

This general purpose sling with head support is to be used in conjunction with an appropriate Invacare patient lifting device to support clients with mobility disabilities and transferring difficulties. The sling is easy to fit to a patient in bed or in a chair, providing excellent upper body and head support. Recommended for general daily lifting and suitable for floor lifts. The general purpose sling has been designed to be simple and safe to use for patient lifting whether it be at home or in an aged care/nursing facilities. This sling is manufactured from mesh (suitable for bathing) with internal padding in pressure areas and utilises webbing attachment loop straps or keyhole buckles. The straps are colour coded for sizing to allow easy sling selection and identification and individual client management. Available in 6 sizes – X-Small, Small, Medium, Large, X-Large and XX-Large with Safe working loads of 205-300kg.

| SWEP Picklist Code | Supplier Code | Description | Max User Weight |
|--------------------|---------------|---|-----------------|
| | I.17127 | General Purpose with Head Support Mesh Fabric Sling - Large | 205kg |

Beds



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/invacare-etude-plus-bed/>


The NEW Etude Plus bed is leading the way with comfort, ease of use and its advanced features. Designed to assist caregiver's workload with 4 function hi-low, headrest raise, knee break raise, Trendelenburg and reverse Trendelenburg. The backrest auto-regression mechanism swings up and back as the bed profiles at desired angle for comfort and reducing the propensity for the client to slide down the bed. This reduction in shear and friction forces that can assist in the prevention of skin damage and associated pressure ulcer formation. Features include:-

- Electric backrest and knee break
- 4 rotating lockable casters with toe brake
- Personal hand control (options – with or without lockable hand control)
- High quality electronics
- Powder coated frame with stylish wooden panel design
- Easy Maintenance and handling, portable and great for storage
- Tool free construction by one person
- Linak motor
- Hi 730mm and Low 330mm
- Overall dimensions 2190mm length x 900mm width
- Timber Beech Veneer Head and Foot Board
- SWL 180kgs

| SWEP Picklist Code | Supplier Code | Description | Floor Clearance | Max Height, Min Height | Length | Width | Max User Weight |
|--------------------|---------------|---|-----------------|------------------------|--------|-------|-----------------|
| | I.ETUDEPLUS | ETUDE PLUS 4 Function Hi-Low Folding Single Bed | 330mm | 730mm | 2190mm | 900mm | 180kg |

Modifications: Quotable

SWEP Client Co-Contribution Required: Yes



Beech
Veneer

Picture of Product

Supplier: GMS Rehabilitation


Product Brochure Link: <https://www.gmsrehab.com.au/product/invacare-scanbeta-bed/>

Invacare SCANBETA Paediatric Hi-Low Bed Medium size suitable for Paediatrics aged 6-9 years. As well as providing high levels of safety, The Scanbeta has been made to meet high levels of configurability, so that as the child grows or his/her condition changes, so too can the Scanbeta be configured to meet the new requirements. Adjustable Head and Knee Break angles. Slat Deck design allows for improved infection control and reduces wear and tear on mattresses. Lockout handset as standard, 4 locking castors. Timber Beech Veneer Head and Foot Board. Additional cost Side Panel configurations available to meet the demands and ease of patient transfer along with padded upholstered side panels for added protection. Overall dimensions 1680mm length x 780mm width.

| SWEP Picklist Code | Supplier Code | Description | Floor Clearance | Max Height, Min Height | Length | Width | Max User Weight |
|--------------------|------------------|--|-----------------|------------------------|--------|-------|-----------------|
| | I.SCANBETAMEDIUM | SCANBETA Electric Paediatric 3 Function Hi-Low Medium Bed I.SCANBETA MEDIUM | 280mm | 300mm to 800mm | 1680mm | 780mm | 100kg |

Modifications: Quotable

SWEP Client Co-Contribution Required: Yes



Beech Veneer

Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/invacare-scanbeta-bed/>

Invacare SCANBETA Paediatric Hi-Low Bed Large size suitable for Paediatrics aged 9-12 years. As well as providing high levels of safety, The Scanbeta has been made to meet high levels of configurability, so that as the child grows or his/her condition changes, so too can the Scanbeta be configured to meet the new requirements. Adjustable Head and Knee Break angles. Slat Deck design allows for improved infection control and reduces wear and tear on mattresses. Lockout handset as standard, 4 locking castors. Timber Beech Veneer Head and Foot Board. Additional cost Side Panel configurations available to meet the demands and ease of patient transfer along with padded upholstered side panels for added protection. Overall dimensions 1800mm length x 800mm width.

| SWEP Picklist Code | Supplier Code | Description | Floor Clearance | Max Height, Min Height | Length | Width | Max User Weight |
|--------------------|------------------|---|-----------------|------------------------|--------|-------|-----------------|
| | I.SCANBETAMEDIUM | SCANBETA Electric Paediatric 3 Function Hi-Low Medium Bed | 280mm | 300mm to 800mm | 1800mm | 800mm | 100kg |

Modifications: Quotable

SWEP Client Co-Contribution Required: Yes

Bed Accessories



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/invacare-etude-plus-bed/>

Attractive Timber Beech Veneer 2050mm Long Horizontal Bed Rails suitable for all Etude Plus Beds. No tools required to mount or remove. Easy to use quick release lock mechanism for full or partial rail drop.

| SWEP Picklist Code | Supplier Code | Description | Length |
|--------------------|----------------|---|--------|
| | I.1538458-0101 | ETUDE Plus Britt V Full Length Side Rails - Beech | 2050mm |

Modification/Accessory Options: Quotable

SWEP Client Co-Contribution Required: Yes



Picture of Product



Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/invacare-etude-plus-bed/>

Attractive Timber Beech Veneer Extendable form 2050mm to 2250mm Long Horizontal Bed Rails suitable for all Etude Plus Beds when fully extended. No tools required to mount or remove. Easy to use quick release lock mechanism for full or partial rail drop.

| SWEP Picklist Code | Supplier Code | Description | Length |
|--------------------|----------------|---|---------------------|
| | I.1538458-0125 | ETUDE Plus Britt V Extendable Length Side Rails - Beech | 2050mm to 2250mm |

Modification/Accessory Options: Quotable

SWEP Client Co-Contribution Required: Yes



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/invacare-etude-plus-bed/>

Self Help Pole (Gooseneck) complete with extendable reach and hand grip for those find it difficult to rise out of the bed. White Powder Coated Frame.

| SWEP Picklist Code | Supplier Code | Description | Max User Weight |
|--------------------|-----------------|--|-----------------|
| | I.15242093-0154 | Self Help Pole complete with extendable reach and hand grip. | |

Modification/Accessory Options: Quotable

SWEP Client Co-Contribution Required: Yes



Picture of Product

Supplier: GMS Rehabilitation


Product Brochure Link: <https://www.gmsrehab.com.au/product/invacare-etude-plus-bed/>

ETUDE Straight 59cm high Bed Stick with single clamp on action to bed frame required with Top Ball End for added safety. White Powder Coated Frame.

| SWEP Picklist Code | Supplier Code | Description | Height | Max User Weight |
|--------------------|---------------|--|--------|-----------------|
| | I.ETP-BS-3 | Straight 59cm high Bed Stick with single clamp and Top Ball End. | 59cm | 50kg Load Force |

Modification/Accessory Options: Quotable

SWEP Client Co-Contribution Required: Yes



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/invacare-etude-plus-bed/>

ETUDE Hooked 59cm high Bed Stick with single clamp on action to bed frame required with Top Ball End for added safety. White Powder Coated Frame.

| SWEP Picklist Code | Supplier Code | Description | Height | Max User Weight |
|--------------------|---------------|--|--------|-----------------|
| | I.ETP-BS-H-3 | ETUDE Clamp on Hooked Bed Stick with ball end. | 59cm | 50kg Load Force |

Modification/Accessory Options: Quotable

SWEP Client Co-Contribution Required: Yes



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/invacare-etude-plus-bed/>

Padded Slip on Covers to suit the ETUDE PLUS Britt V Full Length Side Rails. Waterproof Padded Vinyl Covers for that extra protection to the user.

| SWEP Picklist Code | Supplier Code | Description |
|--------------------|---------------|--|
| | I.ETP-BS-H-3 | Padded Slip On Covers to suit the ETUDE PLUS Britt V Full Length Side Rails. |

Modification/Accessory Options: Quotable

SWEP Client Co-Contribution Required: Yes



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link:

ETUDE PLUS HL84 Lockable 4 Function Handset Slim, ergonomic hand control. Prevention to change bed settings without key.

| SWEP Picklist Code | Supplier Code | Description |
|--------------------|----------------|---|
| | I.1548936-7305 | ETUDE PLUS HL84 Lockable 4 Function Handset Slim, ergonomic hand control. |

Modification/Accessory Options: Quotable

SWEP Client Co-Contribution Required: Yes



Picture of Product
 Supplier: GMS Rehabilitation
 Product Brochure Link:

20cm Mattress Bolster Extension required when ETUDE PLUS is fully extended. Converts Mattress Surface to be 225cm.

| SWEP Picklist Code | Supplier Code | Description |
|--------------------|---------------|---|
| | I.INV510 | 20cm Mattress Bolster Extension required when ETUDE PLUS is fully extended. |

Modification/Accessory Options: Quotable
SWEP Client Co-Contribution Required: Yes



Picture of Product
 Supplier: GMS Rehabilitation
 Product Brochure Link:

SCANBETA Large Bed Door Side Panel, Attractive Beech Veneer finish, 180CM (Length) X 80CM (Height). Fitted with Double Catch Release for Increased Safety.

| SWEP Picklist Code | Supplier Code | Description | Height | Length |
|--------------------|--------------------|--|--------|--------|
| | I.1553928-18080-S1 | SCANBETA Large Bed Door Side Panel, Attractive Beech Veneer finish | 80cm | 180cm |

Modification/Accessory Options: Quotable
SWEP Client Co-Contribution Required: Yes



Picture of Product
 Supplier: GMS Rehabilitation
 Product Brochure Link:

SCANBETA Medium Bed Drop Side, Attractive Beech Veneer Finish, 70CM (Height) X 160CM (Length), fitted with Double Catch Release for Increased Safety.

| SWEP Picklist Code | Supplier Code | Description | Height | Length |
|--------------------|----------------------|--|--------|--------|
| | I.SCANBETA MEDIUM K1 | SCANBETA Medium Bed 70 X 160CM, Drop Side, Beech Veneer Finish | 70cm | 170cm |

Modification/Accessory Options: Quotable
SWEP Client Co-Contribution Required: Yes



Picture of Product
 Supplier: GMS Rehabilitation
 Product Brochure Link:

SCANBETA Medium Bed 70CM (Height) X 160CM (Length), Panel Sides Opening to 180 Degrees, Beech Veneer finish. Fitted with Secure Locking Mechanism with Catch Release for Increased Safety.

| SWEP Picklist Code | Supplier Code | Description | Height | Length |
|--------------------|----------------------|--|--------|--------|
| | I.SCANBETA MEDIUM K2 | SCANBETA Medium Bed 70CM (Height) X 160CM (Length), Panel Sides Opening to 180 Degrees, Beech Veneer finish. | 70cm | 160cm |

Modification/Accessory Options: Quotable
SWEP Client Co-Contribution Required: Yes



Picture of Product
 Supplier: GMS Rehabilitation
 Product Brochure Link:

SCANBETA Medium Bed 70cm (Height) X 160cm (Length), Dual Folding Sides Opening to 180 Degrees, Beech Veneer Finish, Minimising space requirements. Fitted with Secure Locking Mechanism with Catch Release for Increased Safety

| SWEP Picklist Code | Supplier Code | Description | Height | Length |
|--------------------|----------------------|--|--------|--------|
| | I.SCANBETA MEDIUM K3 | SCANBETA Medium Bed 70cm (Height) X 160cm (Length), Dual Folding Sides Opening to 180 Degrees, Beech Veneer Finish, Minimising space requirements. | 70cm | 160cm |

Modification/Accessory Options: Quotable
SWEP Client Co-Contribution Required: Yes



Picture of Product
 Supplier: GMS Rehabilitation
 Product Brochure Link:

SCANBETA Medium Bed 70cm (Height) X 160cm (Length), High Panel Bars, Beech Veneer finish. Fitted with Secure Double Catch Release for Increased Safety.

| SWEP Picklist Code | Supplier Code | Description | Height | Length |
|--------------------|----------------------|---|--------|--------|
| | I.SCANBETA MEDIUM K4 | SCANBETA Medium Bed 70cm (Height) X 160cm (Length), High Panel Bars, Beech Veneer finish. | 70cm | 170cm |

Modification/Accessory Options: Quotable
SWEP Client Co-Contribution Required: Yes

Mattress



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/zenith-mattress/>

The Zenith mattresses provide a comfortable, stable sleeping environment, whilst minimising peak pressure points, allowing for immersion into the foams, and therefore increasing the surface area available for pressure redistribution. All zenith mattresses come with hinged sides for head raise & knee break, Side panels for secure transfer on/off, PUPPS compliant & hospital grade Dunlop foams, Multi stretch cover that is vapour permeable, 2 way stretch, waterproof & fire retardant and is fully welded for infection control purposes.

| SWEP Picklist Code | Supplier Code | Description | Product Dimensions | Suits Bed | Max User Weight |
|--------------------|---------------|--|--|---------------------|-----------------|
| | DU.PCMA001 | Zenith Passive Surface Foam Mattress - Standard Single | 1930mm Length x 860mm Width x 150mm Height | Standard Single Bed | 140kg |



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/zenith-mattress/>

The Zenith mattresses provide a comfortable, stable sleeping environment, whilst minimising peak pressure points, allowing for immersion into the foams, and therefore increasing the surface area available for pressure redistribution. All zenith mattresses come with hinged sides for head raise & knee break, Side panels for secure transfer on/off, PUPPS compliant & hospital grade Dunlop foams, Multi stretch cover that is vapour permeable, 2 way stretch, waterproof & fire retardant and is fully welded for infection control purposes.

| SWEP Picklist Code | Supplier Code | Description | Product Dimensions | Suits Bed | Max User Weight |
|--------------------|---------------|--|--|--------------------------------|-----------------|
| | DU.PCMA002 | Zenith Passive Surface Foam Mattress - Standard Single- Long | 1980mm Length x 860mm Width x 150mm Height | Standard Single Bed Extra Long | 140kg |



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/zenith-mattress/>

The Zenith mattresses provide a comfortable, stable sleeping environment, whilst minimising peak pressure points, allowing for immersion into the foams, and therefore increasing the surface area available for pressure redistribution. All zenith mattresses come with hinged sides for head raise & knee break, Side panels for secure transfer on/off, PUPPS compliant & hospital grade Dunlop foams, Multi stretch cover that is vapour permeable, 2 way stretch, waterproof & fire retardant and is fully welded for infection control purposes.

| SWEP Picklist Code | Supplier Code | Description | Product Dimensions | Suits Bed | Max User Weight |
|--------------------|---------------|---|---|--------------------------|-----------------|
| | DU.PCMA003 | Zenith Passive Surface Foam Mattress - Standard Wide Single | 1930mm Length x 1070mm Width x 150mm Height | Standard Wide Single Bed | 140kg |



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/zenith-mattress/>

The Zenith mattresses provide a comfortable, stable sleeping environment, whilst minimising peak pressure points, allowing for immersion into the foams, and therefore increasing the surface area available for pressure redistribution. All zenith mattresses come with hinged sides for head raise & knee break, Side panels for secure transfer on/off, PUPPS compliant & hospital grade Dunlop foams, Multi stretch cover that is vapour permeable, 2 way stretch, waterproof & fire retardant and is fully welded for infection control purposes.

| SWEP Picklist Code | Supplier Code | Description | Product Dimensions | Suits Bed | Max User Weight |
|--------------------|---------------|--|---|--------------------------------|-----------------|
| | DU.PCMA009 | Zenith Passive Surface Foam Mattress - Standard ETUDE Single | 2050m Length x 900mm Width x 150mm Height | Standard ETUDE PLUS Single Bed | 140kg |



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/zenith-mattress/>

The Zenith mattresses provide a comfortable, stable sleeping environment, whilst minimising peak pressure points, allowing for immersion into the foams, and therefore increasing the surface area available for pressure redistribution. All zenith mattresses come with hinged sides for head raise & knee break, Side panels for secure transfer on/off, PUPPS compliant & hospital grade Dunlop foams, Multi stretch cover that is vapour permeable, 2 way stretch, waterproof & fire retardant and is fully welded for infection control purposes.

| SWEP Picklist Code | Supplier Code | Description | Product Dimensions | Suits Bed | Max User Weight |
|--------------------|-----------------|---|--|--------------------------------|-----------------|
| | DU.PCMA009-LONG | Zenith Passive Surface Foam Mattress - Standard ETUDE PLUS Single with extension in use | 2250mm Length x 900mm Width x 150mm Height | Standard ETUDE PLUS Single Bed | 140kg |



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/zenith-mattress/>

The Zenith mattresses provide a comfortable, stable sleeping environment, whilst minimising peak pressure points, allowing for immersion into the foams, and therefore increasing the surface area available for pressure redistribution. All zenith mattresses come with hinged sides for head raise & knee break, Side panels for secure transfer on/off, PUPPS compliant & hospital grade Dunlop foams, Multi stretch cover that is vapour permeable, 2 way stretch, waterproof & fire retardant and is fully welded for infection control purposes.

| SWEP Picklist Code | Supplier Code | Description | Product Dimensions | Suits Bed | Max User Weight |
|--------------------|---------------|--|--|------------------------------|-----------------|
| | DU.PCMA001 | Zenith Passive Surface Foam Mattress – SCANBETA Medium | 1600mm Length x 740mm Width x 150mm Height | Standard SCANBETA MEDIUM Bed | 100kg |



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/zenith-mattress/>

The Zenith mattresses provide a comfortable, stable sleeping environment, whilst minimising peak pressure points, allowing for immersion into the foams, and therefore increasing the surface area available for pressure redistribution. All zenith mattresses come with hinged sides for head raise & knee break, Side panels for secure transfer on/off, PUPPS compliant & hospital grade Dunlop foams, Multi stretch cover that is vapour permeable, 2 way stretch, waterproof & fire retardant and is fully welded for infection control purposes.

| SWEP Picklist Code | Supplier Code | Description | Product Dimensions | Suits Bed | Max User Weight |
|---------------------------|----------------------|---|--|-----------------------------|------------------------|
| | DU.PCMAP2 | Zenith Passive Surface Foam Mattress – SCANBETA LARGE | 1930mm Length x 860mm Width x 150mm Height | Standard SCANBETA LARGE Bed | 100kg |



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/mattress-alternating-mattress-overlay-system-pm265/>

Alternating Overlay System is a high quality pressure relieving surface suitable for clients with medium risk of Ischemic Ulcer formation. The mattress overlay incorporates 17 cells, with the top 3 cells providing a non-alternating pillow section. The remaining 14 cells have a combination of ventilated and non-ventilated cells. The ventilated cells allow for low air loss circulation assisting in reducing perspiration and increasing client comfort. The PM265 Alternating Overlay System has been designed to assist with client safety, including a clearly indicated head and foot end, CPR release valves and alarms. Effective pressure relief is achieved by the alternation in a cycle of 9.6 minutes. Features of the pump unit include 10 comfort level adjustments, incremented in weight levels for a range of client's needs. Static mode with auto revert after 20 minutes, low pressure alarm indicated by an audible sound and visual LED indicator. Smart pressure detection technology starts and stops the pump as required. The lock out feature ensures peace of mind once unit is correctly set to individual needs. A power failure alarm and service alarm alert users or carers of the need for urgent action. Specifications: Overlay size 200cm (L) x 90cm (W) x 12.7cm (H) Safe working load of 160kg.

| SWEP Picklist Code | Supplier Code | Description | Product Dimensions | Suits Bed | Max User Weight |
|--------------------|---------------|-------------------------------------|--|---------------------|-----------------|
| | AX.PM265 | Alternating Mattress Overlay System | 2000mm Length x 900mm Width x 127mm Height | Standard Single Bed | 160kg |



Picture of Product

Supplier: GMS Rehabilitation

Product Brochure Link: <https://www.gmsrehab.com.au/product/mattress-full-mattress-replacement-system-pm268/>

Full Mattress Replacement System is a high quality pressure relieving surface suitable for clients with medium to high risk of Ischemic Ulcer formation. The combination of specially designed cells incorporated with a low pressure high flow pumping system, enables maximum pressure reduction and pressure relief simultaneously. The full mattress replacement system incorporates 20 cells, with the top 3 cells providing a non-alternating pillow section. The remaining cells have a combination of ventilated and non-ventilated cells and have cell in cell technology, to provide additional protection for clients in case of power failure. The inner cells provide a nominal support when the pump is unable to supply air pressure due to prolonged times of power failure. Features of the pump unit include 10 comfort level adjustments, incremented in weight levels for a range of client needs. Static mode with auto revert after 20 minutes, low pressure alarm indicated by an audible sound and visual LED indicator. Smart pressure detection technology starts and stops the pump as required, therefore increasing the pump life expectancy, and reducing noise. Multi therapy modes assist carers and therapists in providing appropriate pressure care and improve client compliance. The lock out feature ensures peace of mind once the unit is correctly set to individual needs. A power failure alarm and service alarm alert users or carers of the need for urgent action. The ventilated cells allow for low air loss circulation assisting in reducing perspiration and increasing client comfort. The fully enclosed zippered cover is stretchable, vapour permeable, waterproof, and antimicrobial with welded seams consistent with Australian infection control guidelines. The Mattress size is 200cm (L) x 90cm (W) x 20cm (H) Inflated. Safe working load of 180kg

| SWEP Picklist Code | Supplier Code | Description | Product Dimensions | Suits Bed | Max User Weight |
|--------------------|---------------|-------------------------------------|--|---------------------|-----------------|
| | AX.PM265 | Alternating Mattress Overlay System | 2000mm Length x 900mm Width x 200mm Height | Standard Single Bed | 180kg |